

Template based Optical character recognition using Image Processing

Priyanka Behl¹ and Manisha²

¹Student, M.Tech CSE, PKG College of Engineering and Technology, Panipat, Haryana

²Assistant Professor CSE Department, PKG College of Engineering and Technology, Panipat, Haryana

ABSTRACT: *In a stack of prominent fields, there are irrational interest to treat notes to the PC storage circle of information that will be obtained in printed or composed with chronic hand or photographs to then reuse these real factors by PC. One important approach to storing information to a PC device from the print record can be the first to test the report after it makes it as an image archive. In any case to reuse this estimate, it will definitely test to take Gandand on or request text-based substances or various real factors from the image-chronic image. In this way the system is appropriately recovering and storing real factors, especially text, from photo notes needed. Individual optical reputation is a local periodic assessment that seeks to expand the PC engine with the ability to focus and handle text from the image correctly. The current OCR target is to achieve changes or change whatever form of current message or artistic substances that contain reports that join a message-based substance that is physically arranged, dismantle or checking the message depiction, into an electronic plan that can be edited more significantly and more carry on. With precisely, OCR allows the structure to usually appreciate the text in the document. Some large incites must be seen and done with the aim that you can get computerized victory. The message style that is considered as the current character in non-esteemed paper records and photos is not honoured only a few days now the current problem. At present this problem, clean characters may not be recognized according to the PC system assistant. In this paper we researched OCR in 4 extraordinary approaches. First we provide a positive evaluation of developing conditions that will appear in the OCR range. Second, we layout the overall stage of the OCR engine that consolidates pre-prepared, division, normalization, extraction of brand names, gathering and arranging transactions. Then, we highlighted the attributes and groups that were strong and developed recently out of the new OCR plastic and in the end; the OCR record was quickly called. Therefore, this conversation presents a truly careful examination at this time field.*

KEYWORDS: *OCR, Perspective Distortion, Image Binarization, Image Thresholding, Image Segmentation, MATLAB.*

I. INTRODUCTION

This is regularly and get used to that we have to ask to collect and arrange machines that can get style. From Pervasive Individual Electronic Optics To Stand Popularity, Finger proof Characters, Talk Reputation, DNA Series Separating Evidence and more, it is far clean that careful and reliable model affirmations with tools can be useful giant. Individual optical affirmations are an enthusiastic assessment area that seeks to expand PC's contraption with the ability to focus and structure text-based substances from the image properly. These days there may be significant interest to treat information to the PC parking room plate from the open notes in printed or compiled with hand reports then take advantage of this information via PC. We speak transcendently mention the most critical conditions and levels of individual optical affirmations such as preprocessing, division, normalization, extraction of brand name, class and regulate the comprehensive planning that you want to put all applications related to OCR, and in part of our paper, several programs OCR affirmation of the optical individual is the model of the progress model that has a subject of study all the long time. Optical individual reputation is a system that usually find out from different people from archive images also provides full alphanumeric fame of characters spread or physically arranged, numerical text, letters, and logos into the organization of PC procedures closed by ASCII, Unicode, and so on the pervasiveness of optical individuals is the most decreasing for the type of type of use of use in the regulated field, many of which we use in our reliable lives. Cost-effective and less monotonous, associations, post-work, banks, protection structures, or even sophisticated mechanical circles hire this gadget by considering the way the formation of their operations. At present, there are various portion of study and utilizing OCR development. The OCR development helped see careful archives written in English, Chinese, Hindu, Arabic, Russian, and others. In this paper prize, the assessment of several smuggling has been designed in English, Arabic and Devanagari characters. In addition, explaining the procedures they use and wrong them face all the progress of the individual optical reputation. Individual affirmation, conventionally shortened to individual optical universities or minus OCR, is a

mechanical translation or advanced from the text of the text that is physically composed, typed or printed (generally entered through the scanner) into the text that can be edited the machine . So far this is the field of study in affirmation models, man-made thinking and creative contraptions and rabun far. Apart from the instructive assessment method in the field remains aware, the accent of human or female affirmation has moved to the implementation of the method displayed. The optical period of a man or woman who is commonly created in the mid-1800s, while it was changed to the Pertiwi helped to weaken outwardly. In 1870, C. R. Carey ensured a photo transmission machine using a photoosel, and in 1890 P.G. NIPKOW plans progressive OCR analysis. Apart from, the conscious thought-minded OCR used to check the character turned into bringing into the mid-fifties as the possibility of a keypunching machine . A year later, D.h. Shephard advances the fundamental mechanical OCR for typical factors typed. The 1980s saw the climbing of OCR structures expected to be used with non-public PC systems. At present, far conventional to find a PC-based PC-based OCR structure that may be financially open. However, so far Most of these plans are made for arrangements with latin-based substances - basically. The structure of individual reputation optics for Latin characters must have more than 10 years and complete the text made. There are studies other than focused on different non-Latin content close to Arabic, Jap, China, Hindu, Tibet. For you to expand the OCR contraption, repairs and coordinate many sub-structures. The stage of one preprocessing includes sloping evidence and recognizable changes, areas of upheaval and removal, linearization, reduction, and normalization. Then the chronicle image division into the line, word and character. This is seen by work extraction to treat PIX men or women and class modules that named characters to their right class.

1.2 OCR challenges.

For the right phenomenal accuracy and exorbitant individual pervasiveness, the OCR strategy expects stunter or significant standard photos for certain basic essential homes that join highly isolated content and print establishments. The way in which photos is made is a big part and chooses in the precision and fulfilment of OCR, seeing that this is an important part of the time affecting the enchanting of photos.

1. 2.1. Scene complexity

In a standard environment, we can see the Titanic numbers

The contraptions campaigned in photographed digicam that consolidated imaginative, home and image manifestations. These things have a system and appearance that is comparable to messages that make messenger-based substance affirmations that are undoubtedly testing in previous images. The text based substance itself with reliably has fanned to energize the decomposition. The statement with a scene with the scene is that the sight enveloping makes it difficult to separate abstract substances from non-text [3].

1.2.2. Unbalanced Condition of Lighting Contraption

Reliably, putting snap efforts in the original environment produces lights and sloping shadows. It discusses the efforts of OCR due to falsifying image characteristics supported and as a need caused by the results of evidence, division, and an impressive affirmation results Current state with unbalanced lighting is What feels the structure of the image analyzed made with the camera.

1.2. 3. Skegness (rotation)

For individual invasive optical structures, display factors to enter photos taken from the advanced end of the contraption or different devices used for photos taken are not repaired such as scanning input, which print text from their specific courses seems to be found. Extraordinary Ratification Horrible effects are not completely completed forever while very tilt images are handled with the OCR classifier.

1. 2.4. Dark and relegation

Considering working on the progress of the distance is planned to the Severa virtual camera, an important part is the focus of the virtual camera. For enchanting precision of individual reputation and character division, individual sharpness is needed. In a giant hole and a short distance, the tilted focus can be seen while a little view factor changes. For the most part associated with images, there is a kind of difficult to get it: not dull focus and dim development .

1.2.5. Ratio section

Text-based substances have an express extension section. Text may be a brief of visitors to incidental effects, while other scientific substances may be a horrible package longer, complete from video description.

1.2.6. Moving (perspective distortion)

PIX Traversed Scanner Report compares with the sensor field, but this cannot be found all events for recorded images obtained by conservative camera aide, which is usually not related to the field of form. Therefore, text lines far from the digicam give a lower impression than individuals closer to the camera that has one calculation to be more. This model causes moving photos.

1.2.7. Text style

Italic style and character of character content characters may cover every novel, making it difficult to do a piece of essential OCR approach that consolidates division. The character of various styles of text has an independent structure in-and forms many sub-districts of the model, making it difficult to reputation of addresses while the extraordinary range of men or women is very large.

1.2.8. Multilingual

The condition even though the large piece of Latin tongue has many characters, vernaculars as cases, Japan, China and Korea, have countless individual planning. Related characters in Lingo Arabic, which is in harmony with settings, it changes the shape form.

1.2.9. Distort

Material content or text on things from different calculations can be another test for OCR which will be analyzed while photos of such situations are captured by using a camera. Some conditions can appear with a flatbed scanner, where crooked print content is found when the substance material is purchased in the image, as a substance event closer to the restrictions on the computerized book is extraordinarily thick.

2.1 computer-type OCR

A Brief invariant without discomfort finished. The distribution of individual characters will have the option to offer long and regional evaluations, but the limit extraction methodology may other than regularly provide all the right checks. Turn Invarice is the center if the character to be dissected can appear towards any way. However, accept all reliable characters to have unclear changes, change the capacity of variations must be used to isolate between characters such as "6" and "9" and "u" and "u" and "u". Every other alternative is to use rotasiinvariant limits, expanded with a recognized turn point. If the turn point is controlled, say, lie between - 45 and 45 °, the character is possible, say 180 ° each other can be isolated. The same resolution can be used for size-invariant limits, if one longing to get stamps emphasized in each character and need to understand, say, "O", "O" and "O", and "". Inclation invaries may be important for scientific substances delivered by hand, where characters may be extra or less tilt, and the content of printed multifont machines, where some literary styles are sloping and some are not.

2.2 A outline of the literature and implementation of the utilization of matching templates

The wealth of developing cities has made obligations about needs. It has incited unexpected city problems - that traffic light and evidence is not wrong. Leaving the area has ended too emphasized because it creates a number of vehicles on the current road. The adjusted contraption affirmation of the Plate Sum (ANPR) plays an important limit in overseeing the loads as a utility stage from passing acceptance to pay attention to city traffic and to really see vehicle robbery. There is a typical ANPR structure to have today that can be set on a strike procedure. In this paper, we strive to review different procedures and their use. ANPR contraption has been executed the use of matching settings and accuracy will be observed 80.8% for Indian grouping plates with motorbike size, finding vehicle leave is the right difficulty lately for a variety of life and schools in the instructive association. Most of the vehicle leaves are controlled really through the prosperity watches that do it until now do not defend the tone of variations in the incoming car and leave the place. Appropriately, the way of thinking the power of power needs to remotely realize around the car park with motivation to find an important empty space for waste of time, also the suppressor factor and driver's disappointment.

2.3 Optical individual standing (OCR) machine for Vehicular groups

The affirmed The wide collection plate is used as a picture that is getting ready to arrange the vehicle. The reputation of the optical man or woman is generally used for this solitary affirmation. In this paper, the collection plate approved by the vehicle is obtained as an image and stored in the database. These photos will be almost used for vehicle characters. Considering developments in vehicle-related violations, this system is significant for affirmation and visitors programs. In the reference mastermind, this information implied as a computerized vehicle disclosure, automatically arrives in plate affirmation, visible vehicle grouping plates, automatic plate readers, or individual optical affirmations. There are different cycles used to build a robotized plate structure such as phony nervous socio-based classes, cloud computing at a very basic based level, hybrid is

mainly based, based on matching templates, and histograms basically based, and so on using the methodology, accuracy Level plate that uses OCR techniques checked. The standard justification for the reputation of the modern number of plates is to show blockages, site visitor controls, sharp parking tools, confirmation and observation of drivers. In current new developments, this field is seen using factor and their relationship. At present, as we get older in every part of life, the benefits are more than working on the use of these progress . The vehicle movement machine is in such a bet at an important age. Since the progress of the tenant, the next vehicle grew rapidly considering the step by step of the residents' needs. Vehicle transportation machines play fundamental businesses in site visitors situation structures around the world bad behavior disclosure systems, following motorbikes taken, and application of prosperity, etc.

3.1 OCR Applications

Optical Individual reputation has been carried out in a different package. We discuss part of this application area in this section.

Handwriting reputation is the capacity of the PC to get and unravel it clearly with the experience of hand from sources, for example, paper notes, photos, introduction and unprecedented gadgets. Pictures of substances made can be recognized "separated" from a piece of paper through optical pain. On the other hand, examples of pen tip can be recognized "On line", for example with a pen-based PC screen floor. OCR is peruser that considers the character of PC text that may be disseminated or made. OCR format of each individual is used to make men or women such as seeing the procedure complete. After this, the solitary image breaks down in the ASCII code which is used in the information ready.

3.2. Imaging reception

Receipt of receipt [27] is used comprehensively as a Severa Affiliate element of effort to filter records related to money and remain aware of social events from accumulating. In experts working conditions and self-supporting associations, OCR enhances real factors to accumulate and evaluate, among clear methodologies.

3. 3. Prison does

Law industry [27] is in one of the recipients of the progress of OCR. OCR is applied to digitizing notes, and especially entering the PC information index. Authentic experts can glance through the required records of the extraordinary database through basically making partners from the main articulation.

3.4. Banking

The use of other OCR fundamentals is in banking [27], where miles used for structures bring briefly with human intercession. Check can be pinned with a device where the channel framework invades absolute to provide and the right level of cash is exchanged. Headway has been reflected for print checks, and is really appropriate for the test compiled physically reducing the time set aside banks.

3.5. Clinical benefits

To manage revealed Materials, organizations that help [27] also have scattering in the use of OCR increases. Providers that help reliably need to control the volume of certain recordings for every trace of resilient and consolidated well-being and in addition to luxurious prosperity work. To stay cautious about each of them, one of these information, it is far valued to include a great record into a high level database. With OCR taking care of things, we can delete the estimation of the structure and set it into the database, so that each data understanding is recorded and restored when needed in the future.

3.6. Manual human test.

Captcha [28] is a tool that can make and increase tests that humans can avoid at this time when the programming program time cannot. Hazardous designers can make programming to manage individual real factors on local. The word reference attack is an attack on construction as evidenced by the secret word where a designer makes the device again and once again try a firm password like the most important reference word. In Captcha, a photo containing the relationship between letters and numbers delivered with various long and printed plans, diversion, optional segments, elements, and upside so that the text cannot be examined by OCR. Contemporary OCR framework can be applied to remove interference and divide the image to make photos reasonable by the bad customer.

3.7. Affirmation of the customized number plate

The omnipressing collection of customized collections [29] is applied as a mass comment procedure that causes the use of individual optical reputation at the top of slipping to see the plate choice of vehicles. ANPR has also been made to shop for photos obtained by the camera along the amount stuck from the registration code. Anpr improvements have a range of places from places to regions because they are the development of extraordinary districts. They are used by clear police forces and as a technique for various

electronic expenses on the roads of using Payper. four.8. Atma: Android Travel Mate Atma Application: Android Travel Mate Application [30] Proposed through Mishra, Nitin, and C. Patvardhan, which attracts travelers and visitors easily get the Board, Vernacular Domain Book Page, Hold Menu, Flag, and so on on Unicode artistic substances design is directed to those obtained from the content introduced in the GOT image using the understood OCR. With targets that guests can translate the nearest unicode dialect content into their own domain tongue, it too Give work understanding.

3.8 OCR Fundamental Level

The OCR strategy is a composite recreational movement requires different stages. These levels are in accordance with those with accompanying: getting photos: To get images from outside sources such as scanners or cameras, and so on preprocessing: When photos have been obtained, extraordinary preprocessing steps can be cultivated to overhaul the first photo level. Among the obvious preprocessing framework is marijuana ejection, threshold and measuring extraction images, and so on individual division: In this movement, the character in the image is separated by the final goal that they can outperform affirmation machines. Typical Korak strategies are evaluations and related projection profiles of parts can be used. In any case in confused conditions, where characters include damaged or some uproar can be accessed in the picture. In this condition, increasing the individual division methodology is used.

The portrayal engineering model that can be verified is basically established in the probabilistic style and various strategies that can be quantified to regulate characters. Send planning: after type, the result is not 100% right, unusual for complex tongues. Post-planning techniques can be executed to redesign the precision OCR structure. This philosophy uses regular languages that get ready, numerical and etymological numbers to overcome Bungles in OCR results. For example, processor settings can choose spelling checkers and word references, probabilistic models such as the chain markov and n-gram to handle precision. Attendance cannot be predicted from sending a processor that should have not been extraordinary above and the results of the circulation processor need not cause new errors.

A) The picture of the photo acquisition gets is the main OCR phase that the circuit gets a virtual picture and turns it into a fitting design that can be handled with a PC. This can contain quantization regardless of the image emphasis factor [8]. An interesting quantization kasing is a binarization that erodes the two best levels of photos. In most cases, Twofold photos take care of the business to implicate images. The urgent factor can actually become lossy or accidents significantly lacking. A common point of view of various photo pressure systems was given in [9]. Course Binarization changes on a gray scale photo into the same image as the utilization of the threshold is called a binarization.

B) Pre-transeed by following to take pictures is a pre-setting objection to beautifying extraordinary photos. One pre-transaction strategy is the appropriate threshold for setting photos charged to the edge of the cost [9]. Edge fees can be arranged with adjacent degrees or throughout the world. The extraordinary type of channel is extensive than average, min and the max can be applied. As an alternative, the upper morphological training tip is close to breaking up, development, setting and the rest can be done.

C. Character segmentation in this movement, images are divided into characters before being forwarded to the depiction area. This division must be imagined firmly or positively as a result of the order segment [11]. Similarly, the opposite time from OCR can help in presenting real factor settings that are focused on important for the distribution of images.

D. Extraction features at this level, various character capacity isolated. This capacity is very choosing characters. The right capacity option and the direct size of the ability to be used is a critical investigation question. Clear component settings complete from original images, numerical limits (circles, strokes) and measurable (minutes) components can be used. Finally, various strategies including evaluation, most can be used to reduce image dimensions.

E. The class was deeply described as the act of asking someone to a reasonable class. Essential techniques to collect fully depend on associations found in the image parts. Strategies that can be measured are basically established on the use of the name of the isolate brand to manage images. Some of the grouping procedures that can be quantified are the Bayesian Classifier, Choice Tree Classifier, neighbourhood neural, closest environmental classification, and so on [12]. In the long term, there are classified subject to syntactic strategies that anticipate that linguistic techniques must make a picture of the sub-trimming.

F. Post-dealing with so men or women have been dusterminded, there is a different system that can be used to call for the precision of the OCR impact. One methodology is to apply more than one classifier to image requests. Classifiers can be used in falling styles, equal or different. The delayed consequences of the classification will then have the option to strengthen the use of different cycles. With the motivation to grow the OCR results, legitimate evaluation can also be developed. Numeric settings and photo reports can help reduce the possibility of errors. Lexically preparing basically depending on Markov's plans and word references can help in working on OCR consequences [12].

4. Results





Figure 2: Binarization & noise Removal images




Figure 3: Images Thresholding




Figure-4 Image Segmentation




Figure-5 Final Output

5. Conclusion

Many calculations, systems, and procedures are proposed to affirm the optical individual in the image of the scene, but there is no satisfying audit in this field. In this paper, we have proposed the relationship between strategies, calculations and techniques. Far, it believes that this absolute outline will offer knowledge into the relevant thinking, and may begin further progress nearby. First thing, we refer to superior OCR difficulties, so we refer to the top of the important stages, design, estimation and the proposed OCR technique, we highlight that to regulate any application related to OCR, a person must pay the visible premium For each stage to reach an extraordinary level of man or women's reputation, but regardless of us cannot advocate for the absolute calculation for each part because it depends on the dataset, programming specifications, and limiting interesting places. In this way the key group is related to OCR and short OCR records are discussed. Apart from the way that the situation made by the OCR work involved a reputation of text with excessive accuracy, we accept that there will be various useful tasks that are not wrong again OCR. As a destiny job, we make a game plan to apply OCR to a reasonable group for personal use consistently. We need to combine cell contraptions with OCR in one OCR structure. Peruser advanced books motorized or receipt trackers make a portion of our Destiny OCR-based application. The work investigation was refreshed in this paper, the character's reputation machine uses extraordinary techniques and the big load they get careful accuracy. What we can understand from this paper is a work extraction technique that must be learned with no surprisingly with singular that works by the truth of each substance or set of letters has its own temperament need to find a sound or right methodology for character. The higher it is prepared to eliminate the features of the character again we can find and see characters in the most important accuracy.

PC vision and virtual images treated are basic Fastgrowing fields in a stack of various regions such as vision and sound, man-made thinking, mechanical innovation and far more important. Photra Rating fuse Division display, feature extraction, and classroom engineering. The interface of the people is clear with every special at the semesis and talks, further human exchanges can make interesting and simpler problems for that person. Hospitality is not completed forever so that the best results may be obtained with lower estimation time such as multilingual individual divisions and reputation especially possible at a better cost. Miles to be seen that division techniques released using DNN are also possible in OCR. Expertise We can interact with information about automated correspondence between human structure communication and systems. The division is cultivated because the image involves different sentences and each line contains a firm number of words. Then this articulation is formed using the character level. In this way we will say that the division is a method for dividing virtual images into parts. In the division structure of each line, each word, each individual is separated. There are two or three problems that cannot be divisions in division techniques such as the first generous images of less, each PC machine has several message styles that prohibit, cursive structure, etc. This effect, the introduction of the next division connection is run here to encourage them problems.

References

- [1]. Sandeep Tiwari, Shivangi Mishra, Priyank Bhatia, Praveen Km. Yadav, Optical man or lady acknowledgment the use of MATLAB, global magazine of prevalent examination in Electronics and verbal trade Engineering (IJARECE) volume 2, issue 5 may likewise (2013)
- [2]. H.F. Schantz, The historical backdrop of OCR fame age clients affiliation, Manchester center, VT, (2000)
- [3]. Fawzi1 Mohamed Mohsen. A. Rashwan 1, Hany Ahmed 1, Shaimaa Samir 1, SherifM. Abdou2, Hassanin M. Computer based intelligence Barhamtoshy3, and Kamal M. Jambi3 technique in photo for camera-principally based OCR age, (2015) thirteenth worldwide gathering on report assessment and notoriety (ICDAR)
- [4]. Santosh Kumar and B. Rama2 Hengel, Algorithms and assessment strategy innovation approached Comprative individual prevalence examines with OCR assessment IEEE overall show on energy Electronics. canny control and force structures (ICPEICES 2016)
- [5]. N. Venkata Rao, Dr. A.S.C.S.Sastry, A.S.N.Chakravarthy, P kalyanchakravarthi, optical individual standing calculation methods, magazine hypothetical and did records age January 20 (2016). Vol.83. 2, ISSN: 1992-8645, e-ISSN: 1817-3195
- [6]. M. Hamanaka, k. Yamada, J. Tsukumo, "8db290b6e1544acaffefb5f58daa9d83 japanese individual fame test with off-online strategy principally based at the extraction of capacities normalizationcooperated", grievances of the second one global show on record assessment and particle Recognit, (2017) 204-207.
- [7]. T. Ohhira, N. Pecharanin, A. Taguchi, N. Iijima, Y. Akima, M. Sone "chinese individual acknowledgment with car acknowledgment structures", IEEE worldwide show on Neural Networks, volume: 5, (2017)
- [8]. J. Alherbish, R.A. Ammar, M. Abdalla, "the approach of Arabic person in a multi-preparing climate", P roceedings t he second particle IEEE Symposium on PC and verbal trade (2017).
- [9]. K Indira and S Sethu Selvi 2009. Kannada Character Recognition System : A Review InterJRI Science and Technology, Vol. 1
- [10]. M S Patel and Sanjay Linga Reddy 2014 An impact of Grid based Approach in Offline handwritten Kannada Word Recognition. International Conference on Contemporary Computing and Informatics IEEE 987-1- 4799-6629-5/14
- [11]. M S Patel and Sanjay Linga Reddy 2014 An impact of Grid based approach in Offline Handwritten Kannada Word Recognition. International Conference on Contemporary Computing and Informatics 978-1-4799- 6629-5
- [12]. Madhavaraj A, A G Ramakrishnan, ShivaKumar H R and Nagaraj Bhat 2014 Improved recognition of aged Kannada documents by effective segmentation of merged characters. International workshop on multilingual OCR IEEE 978-1-4799-4665-5/14
- [13]. Mamatha H R, Sucharitha S and Srikanta Murthy K 2011 Multi-font and Multi-size Kannada Charcter Recognition based on Curvelets and Standard Deviation. International Journal of Computer Applications(0975- 8887) Volume 35-No.11
- [14]. R Aravindhan, G N Rathna and Vipin Gupta 2010 An Online Kannada Text Transliteration System for Mobile Phones. International Conference on Communications and Mobile Computing IEEE 978-0-7695-3989-8/10
- [15]. R Sanjeev Kunte and R D Sudhaker Samuel 2007 A bilingual machine interface OCR for printed Kannada and English text employing wavelet features. International Conference on Information Technology IEEE 0-7695-3068-0/07
- [16]. R Sanjeev Kunte and R D Sudhaker Samuel 2007 A simple and efficient Optical Character Recognition system for basic symbols in printed Kannada text. Sadhana 32: 521-533
- [17]. R Sanjeev Kunte and R D Sudhaker Samuel 2007 An OCR system for printed Kannada text using two-stage Multi-network classification approach employing Wavelet features. International Conference on Computational Intelligence and Multimedia Applications, IEEE, 0-7695-3050-8.
- [18]. S A Angadi and S H Angadi 2015 Structural features for recognition of handwritten character based on SVM. International Journal of Computer Science, Engineering and Information Technology(IJCSEIT) Vol.5, No.2
- [19]. Saleem Pasha and M C Padma 2013 Recognition of Handwritten Kannada characters using Hybrid features. International Conference on Emerging Technologies IEEE 978-1-84919-842-4
- [20]. Saleem Pasha and M C Padma 2014 Quadtree Based Feature Extraction Technique for Recognizing Handwritten Kannada Characters. International Conference on Emerging Research in Electronics, Computer Science and Technology Springer 978-81-322-1157-0_74
- [21]. Shashikala Parameshwarappa and B V Dhandra 2015 Handwritten Kannada Character Recognition using Curvelet Transform. International Journal of Computer Applications (0975-8887)
- [22]. Soumen Bag and Gaurav Harit 2013 A survey on Optical Character Recognition for Bangla and Devanagari scripts. Sadhana 38: 133-168
- [23]. T V Ashwin and P S Sastry 2002 A font and size independent OCR system for printed Kannada documents using support vector machines. Sadhana 27: 35-58
- [24]. Vishwas M, Arjun M M and Dinesh R 2012 Handwritten Kannada Character Recognition based on Kohonen Neural Network. International Conference on Recent Advances in Computing and Software Systems, IEEE, 978-1-4673-0255-5
- [25]. A S Kavitha, P Shivakumara, G H Kumar and Tong Lu 2016 Text Segmentation in Degraded Historical Document Images. Egyptian Informatics Journal, Elsevier, 1110-8665

- [26]. Rangachar Kasturi, Lawrence O Gorman and Venu Govindaraju 2002 Document Image Analysis : A Primer Sadhana Vol 27, Part 1, pp 3-22
- [27]. V N Manjunatha Aradhya, G Hemantha Kumar, S Noushath and P Shivakumara 2006 Fisher Linear Discriminant Analysis based technique useful for Efficient Character Recognition. IEEE, 1-4244-0612-9

Priyanka Behl, et. al. "Template based Optical character recognition using Image Processing."
IOSR Journal of Computer Engineering (IOSR-JCE), 24(3), 2022, pp. 07-15.